

EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/4090/161/11/20/2842 EXT 01/11/20

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment:

Manufacturer: INGCO TOOLS CO., LIMITED

No.45 Songbei Road, Suzhou Industrial Park, P.R. China

Description

PPE Type: a safety footwear

Product reference: SSH81SB

Article code:

Construction and material of outsole: INJECTION / PU/PU OUTSOLE

Pictures:







CE SSH81SB

EN ISO20345:2011 SB SRC

MADE IN CHINA No.45 Songbei Road, Suzhou Industrial Park, P.R. China

Reference standard: EN ISO 20345: 2011

Classification: I Category: SB SRC Slip resistance: SRC Size range: 35-48 Toecap nature : Metallic Insert nature: N/A

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from NOVEMBER 2020

NOTA: Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by

Maxence DREVET

Project Certification Manager

www.cofrac.fr

Date of first issue: 23 November 2020

End of validity date: 23 November 2025

XX/20XX

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France Tél.: +33 (0)4 72 76 10 10 - Fax: +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com



MARKIN

INGCO TOOLS CO., LIMITED

MANUFACTURER'S TECHNICAL FILE

Reference of the product : SSH81SB

Article code :

Technical file index: 01

Last update: NOVEMBER 2020

IDENTIFICATION

Reference of the product: SSH81SB

Article Code:

Major variant of model: SSH81S1P

Technical file index: 01

Last update : NOVEMBER 2020

Manufacturer:

INGCO TOOLS CO., LIMITED

No.45 Songbei Road, Suzhou Industrial Park, P.R. China

CHINA

tel: 0512-62990359

fax:

Factory:

Zhejiang Xincaihong Footwear Co., Ltd

No. 12 Xincaihong Road, Nanpian Industrial Area, Quxi Town, Ouhai District, Wenzhou City China

CHINA

Tel: 0577-86100878 Fax: 0577-86100882

FOOTWEAR DESCRIPTION

Footwear description:

The classification of this footwear is: I : Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear

The design of this footwear is: A: low shoe

Visual description:

General view:



Outsole view:



Reference of the mould: 9200

Range of sizes:

35-48

Construction and material of outsole:

INJECTION / PU/PU OUTSOLE

Field of use

construction / building; oil & gas mining - for mechanical risk

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)						
		Applicable	Covered by			
§1	Requirements defined in the Annex II §1 are applicable to all PPE	V	V	Standard		
			V	Instruction for use		
			V	Marking		
	Manufacturer's instructions and information is available	V		Standard		
§1.4			✓	Instruction for use		
				Marking		
	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	<	V	Standard		
§2.2			V	Instruction for use		
				Marking		
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and	V	V	Standard		
	year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and		V	Instruction for use		
	unambiguously marked on each item of PPE placed on the market and on its packaging.		✓	Marking		
§2.9	PPE incorporating components which can be adjusted or removed by the user	V	~	Standard		
			✓	Instruction for use		
				Marking		
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	\	V	Standard		
			V	Instruction for use		
			V	Marking		
§2.14	Multi-risk PPE	V	✓	Standard		
			V	Instruction for use		
			✓	Marking		
§3.1.1	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	\ \ 	✓	Standard		
			✓	Instruction for use		
			V	Marking		
	The PPE is intended to protect against falls due to slipping	V	V	Standard		
§3.1.2.1			V	Instruction for use		
			V	Marking		
	The PPE is intended to protect against static compression of a part of the body	<	V	Standard		
§3.2			V	Instruction for use		
			V	Marking		
§3.3	The PPE is intended to protect against mechanical injuries	V	✓	Standard		
			✓	Instruction for use		
			✓	Marking		

FOOTWEAR CONSTITUTION

	Ref	Material	Color
UPPER	F25-1	FLYKNIT MESH	BLACK/YELLOW
COLLAR	F25-1	FLYKNIT MESH	BLACK/YELLOW
TONGUE	LB149	SANDWICH MESH	BLACK
VAMP LINING	LB211	NON WOVEN FABRIC	WHITE
QUARTER LINING	LB109	MESH(tongue, seat region & quarter lining)	YELLOW
INSOCK	STYLE1	TERRY + EVA WITH MICRO-PERFORATED	BLACK/GREY
OUTSOLE	9200	PU/PU SOLE	BLACK/YELLOW
INSOLE	FL104	NON WOVEN FABRIC	BEIGE
TOE CAP	604	STEEL TOECAP	BEIGE
		WEBBING(HEEL LOOP)	YELLOW
DECORATIVE ELEMENTS		WEBBING(TONGUE NOSE)	BLACK
		TWILL FABRIC(BINDING)	BLACK

PROTECTION SCOPE

Basic requirements:

This product has been designed to be a safety footwear.

The technical rules are:

European Standard EN ISO 20344: 2011 Personal protective equipment - test methods for footwear

European Standard EN ISO 20345: 2011: Personal protective equipement - Safety footwear

It is a category II product

Requirement of the standard EN ISO 20345 : 2011 concerning the value of the coefficient of friction of ceramic tiles floor with detergent solution and steel floor with glycerol (SRC)

Requirement of the paragraph 5.8.1. Design of the standard EN ISO 20345 : 2011 concerning cleated outsole.

At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (n° 1907/2006 and revisions)

Additional requirements:

The additional requirements are :

- Closed seat region

MARKING - PACKAGING

Information printed on the footwear:

- * Logo of the Manufacturer
- * Logo (€
- * Manufacturer's type designation
- * Postal address of manufacturer
- Footwear's reference

3 Tererence

- * Article code
- * Size
- Year of manufacture and at least quarter
- * The number and year of the Standard used
- * The symbol(s) of the additional requirements

Marking example:



SB SSH81SB

SSH81SB

EN ISO20345:2011 SB SRC

MADE IN CHINA V01 No.45 Songbei Road , Suzhou Industrial Park, P.R. China

The location of marking is: tongue lining

Method of marking on the footwear:

Stitching on inside tongue

Packaging:

ONE PAIR OF SHOES PACKED WITH TISSUED PAPER IN INNER BOX

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

XX/20XX

Laboratory	References	Laboratory	References
СТС	D160608619_1	СТС	D170405038_1
CTC	D160709018_1	CTC	D190713814_1
CTC	D160810260_1	CTC	D190814623_1
CTC	D160810305_1	CTC	D191225082_1
CTC	D160912189_1	CTC	D191225083_1
CTC	D160913328_1	CTC	D200201607_1
CTC	D161218141_1	CTC	D200404649_1
CTC	D170101277_2	CTC	D200506225_1

MEANS OF CONTROL

1.To control the quality of raw materials follow the methods below:

We asked our suppliers to test their upper leather for Cr VI, PH and DMFu by themselves; asked lining suppliers to check tear strength, especially abrasion resistance; and the suppliers for toecaps and insert need to test impact/compression and penetration resistance for their components...after all raw material can reach relevant requirement, we will accept them and use in mass production.

- 2. During development, we will take some samples to check the main physical properties, such as impact, compression, slip resistance, antistatic and so forth, in order that we can control the quality from development and will avoid some additional troubles in the following steps; if the result can meet requirement, we will process forward; otherwise we need pay more attention to development for the better shoes;
- 3. We control the whole procedure from cutting to package. Every step, relevant QC will check the quality, the semi-finished goods and finished shoes will be discarded if cannot reach requirement of quality. Of course we take some samples from line to test bond strength, impact ect to confirm the mass production are under control. Finally, before shipment, the QC will perform the final inspection randomly, the shoes will be delivered in case the result is acceptable.
- 4. When do bulk the production each batch, we shall pick up some shoes from producing site randomly to test impact, compression, antistatics, leather CR VI to control the quality to match the requirment of standard EN ISO20345:2011."

PPE subject to ageing:

Peremption period: 3 years when stored in appropriate conditions (humidity, temperature, clean, ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear, ...).

Declaration of conformity:

Available with product.